

2013DS METO AMMI Stability Values (ASV) and Yield Stability Index (YSI) of Module1 Across Sites

METNO	Fixed Name	Gymeans	GY Rank	ASV	ASV Rank	YSI	YSI Rank
MT5953	PR40613-AB-50	6.86	5	0.0837	10	15	1
MT5595	IR 11A306	6.83	6	0.0974	13	19	2
MT5735	IR88338-2-AJY1-B	6.38	30	0.0371	1	31	3
MT5720	IR 11C138	6.48	21	0.0935	12	33	4
MT5593	IR 11A296	6.32	38	0.0684	5	43	5
MT5434	NSIC Rc132H (Mestizo 6)	6.24	48	0.0630	4	52	6
MT5648	IR 96433H	6.76	9	0.1724	45	54	7
MT5955	PR30952-AC10 SSD-24	6.49	20	0.1607	40	60	8
MT5556	IR 08N159	6.15	62	0.0767	8	70	9
MT5594	IR 11A302	6.39	28	0.1737	47	75	10
MT5652	IR 81255H	6.43	24	0.1778	51	75	11
MT5616	IR 11A534	6.68	11	0.2162	73	84	12
MT5926	PR40058-(PSB Rc68/ICRL)-2008WS-11-4-7	6.58	16	0.2132	71	87	13
MT5961	PR34350-2-Pokkali-AC-24-M5R-8 (DrS 87)	6.21	58	0.1460	31	89	14
MT5754	IR12L248	6.08	74	0.1219	19	93	15
MT5731	IR86385-170-1-1-B	6.44	23	0.2134	72	95	16
MT5918	PR38075-B-2-B-B-B	6.77	8	0.2354	88	96	17
MT5913	PR40858-NSIC Rc9-M4R-345	6.31	41	0.1846	57	98	18
MT5920	PR40858-NSIC Rc9-M4R-437	6.37	33	0.1980	66	99	19
MT5610	IR 11A501	6.01	84	0.1136	16	100	20
MT5607	IR 11A473	6.11	68	0.1550	34	102	21
MT5551	IR 06N209	6.22	54	0.1746	48	102	22
MT5624	IR 11N169	6.32	39	0.1996	67	106	23
MT5709	HHZ 21-Y4-Y2-Y1	6.50	19	0.2373	90	109	24
MT5570	IR 10A270	5.91	96	0.1072	14	110	25
MT5742	IR12L125	6.74	10	0.2482	100	110	26
MT5581	IR 11A162	6.36	34	0.2218	80	114	27
MT5632	IR 11N313	6.89	4	0.2681	111	115	28
MT5547	IR 04N155	6.21	56	0.1884	60	116	29
MT5752	IR12L235	6.45	22	0.2430	94	116	30
MT5902	PR42967-B-B-5-1-3	6.60	15	0.2487	101	116	31
MT5685	HHZ 4-SAL12-LI1-LI1	5.98	88	0.1418	29	117	32
MT5957	PR30025-99AC (WSAL-1086)	5.89	99	0.1260	21	120	33
MT5592	IR 11A293	6.00	87	0.1529	33	120	34
MT5558	IR 09A104	6.20	61	0.1867	59	120	35
MT5895	PR38169-B-11-2-1-2-2-1-1	5.88	101	0.1302	23	124	36
MT5925	PR40858-NSIC Rc9-M4R-384	5.77	122	0.0603	3	125	37
MT5561	IR 09N296	5.85	109	0.1551	35	144	38
MT5546	IR 04A381	5.70	133	0.1333	24	157	39
MT5756	IR12L251	5.66	139	0.1249	20	159	40
MT5597	IR 11A332	5.64	141	0.1270	22	163	41
MT5433	NSIC Rc238	5.71	132	0.1529	32	164	42
MT5612	IR 11A516	5.89	100	0.1968	64	164	43
MT5678	HHZ 3-SAL13-Y1-SAL1	5.68	135	0.1435	30	165	44
MT5631	IR 11N304	6.20	60	0.2632	108	168	45
MT5915	PR40858-NSIC Rc9-M4R-353	5.73	129	0.1615	41	170	46
MT5708	HHZ 21-SAL13-Y1-Y1	6.07	76	0.2460	96	172	47
MT5892	PR40539-B-B-16	5.78	120	0.1830	54	174	48
MT5963	PR33374-28-1-5-B-B	6.31	40	0.2965	134	174	49
MT5948	PR40613-AB-8	5.74	126	0.1749	49	175	50
MT5689	HHZ 6-DT8-LI1-LI1	5.92	93	0.2283	84	177	51
MT4902	PSB Rc82	5.61	153	0.1367	26	179	52
MT5905	PR42971-B-2-1-1-1-1	6.20	59	0.2815	121	180	53
MT5664	IR 10F548	6.33	36	0.3223	145	181	54

2013DS METO AMMI Stability Values (ASV) and Yield Stability Index (YSI) of Module1 Across Sites

METNO	Fixed Name	Gymeans	GY Rank	ASV	ASV Rank	YSI	YSI Rank
MT5944	PR40096-9-1-1	5.64	140	0.1632	43	183	55
MT5938	PR40092-2-1-1	5.63	145	0.1602	39	184	56
MT5618	IR 11A583	5.68	134	0.1784	52	186	57
MT5713	HHZ 26-SAL12-Y1-Y1	5.54	171	0.1167	17	188	58
MT5577	IR 10N381	5.93	92	0.2464	97	189	59
MT5747	IR12L159	6.43	25	0.3612	164	189	60
MT5601	IR 11A410	6.02	81	0.2644	109	190	61
MT5946	PR40613-AB-70	6.37	32	0.3512	158	190	62
MT5621	IR 11N121	6.04	79	0.2706	112	191	63
MT5865	PR41455-B-B-1	5.47	186	0.0693	6	192	64
MT5743	IR12L130	6.61	13	0.3980	184	197	65
MT5914	PR38121-B-26-B-B-B	5.46	190	0.0825	9	199	66
MT5922	PR40858-NSIC Rc9-M4R-370	5.67	138	0.1913	62	200	67
MT5604	IR 11A429	6.10	70	0.2904	131	201	68
MT5960	PR30245-(IR64) ID 18-1-4	5.58	161	0.1624	42	203	69
MT5869	PR38640-B-1-1-1-1	6.33	37	0.3626	166	203	70
MT5739	IR11L355	5.72	130	0.2167	74	204	71
MT5867	PR39206-2B-47-1-2-2	6.02	83	0.2855	123	206	72
MT5712	HHZ 24-DT11-LI1-LI1	5.37	205	0.0453	2	207	73
MT5663	IR 10F365	6.42	26	0.3864	181	207	74
MT5590	IR 11A255	6.61	14	0.4255	195	209	75
MT5687	HHZ 4-SAL5-Y2-Y1	5.92	95	0.2733	115	210	76
MT4901	PSB Rc10	5.47	187	0.1361	25	212	77
MT5945	PR40096-17-1-1	5.62	150	0.1960	63	213	78
MT5682	HHZ 4-DT3-LI1-LI1	5.78	121	0.2407	92	213	79
MT5588	IR 11A245	5.87	107	0.2619	106	213	80
MT5649	IR 90875H	6.05	78	0.2993	135	213	81
MT5911	PR38075-B-4-B-B-B	5.92	94	0.2775	120	214	82
MT5629	IR 11N239	6.37	31	0.3952	183	214	83
MT5641	IR 12A123	6.14	66	0.3343	150	216	84
MT5609	IR 11A483	5.84	110	0.2629	107	217	85
MT5959	PR38583-(IR64/AC97WP-135) 36-1-6	6.22	52	0.3614	165	217	86
MT5651	IR 96450H	6.27	44	0.3789	175	219	87
MT5923	PR38121-B-1-B-B-B	6.52	17	0.4492	204	221	88
MT5596	IR 11A325	5.91	97	0.2904	130	227	89
MT5578	IR 10N382	6.21	57	0.3694	171	228	90
MT5548	IR 05N113	5.97	90	0.3127	142	232	91
MT5885	PR37911-1B-1-1-1	5.46	189	0.1685	44	233	92
MT5738	IR11L327	5.64	143	0.2405	91	234	93
MT5684	HHZ 4-DT6-LI2-LI1	5.47	184	0.1806	53	237	94
MT5619	IR 11A584	5.88	105	0.2911	132	237	95
MT5893	PR40218-B-29-3-1-1	6.28	43	0.4253	194	237	96
MT5605	IR 11A445	5.55	168	0.2090	70	238	97
MT5674	HHZ 1-DT3-Y1-Y1	5.52	174	0.2020	68	242	98
MT5863	PR40200-B-B-B-75-5	5.58	160	0.2246	82	242	99
MT5695	HHZ 10-DT8-DT1-DT1	5.23	226	0.1172	18	244	100
MT5675	HHZ 1-DT4-LI1-LI1	5.56	167	0.2216	78	245	101
MT5563	IR 09N518	6.27	45	0.4490	203	248	102
MT5881	PR40531-20-3-1	5.57	164	0.2299	85	249	103
MT5748	IR12L201	5.47	185	0.1976	65	250	104
MT5565	IR 09N542	6.79	7	0.5639	243	250	105
MT5932	C9305-B-9-1	5.33	210	0.1733	46	256	106
MT5751	IR12L232	5.79	119	0.3008	137	256	107
MT5702	HHZ 15-DT7-SAL2	5.48	180	0.2204	77	257	108

2013DS METO AMMI Stability Values (ASV) and Yield Stability Index (YSI) of Module1 Across Sites

METNO	Fixed Name	Gymeans	GY Rank	ASV	ASV Rank	YSI	YSI Rank
MT5912	PR40858-NSIC Rc9-M4R-440	6.24	50	0.4588	207	257	109
MT5860	PR40127-B-16-1-2-2	6.25	47	0.4656	210	257	110
MT5878	PR 40285-44-1-1-B	6.08	73	0.4012	185	258	111
MT5574	IR 10M300	5.34	209	0.1753	50	259	112
MT5939	PR40093-29-2	5.25	223	0.1569	37	260	113
MT5692	HHZ 6-Y2-Y1-DT1	6.63	12	0.6056	250	262	114
MT5608	IR 11A479	5.35	207	0.1837	56	263	115
MT5900	12WS-PYT-1	6.14	65	0.4409	198	263	116
MT5579	IR 11A106	5.63	146	0.2772	118	264	117
MT5699	HHZ 14-SAL13-LI2-DT1	6.38	29	0.5279	236	265	118
MT5917	PR40858-NSIC Rc9-M4R-435	7.47	1	0.6613	264	265	119
MT5861	PR40146-B-14-1-4-2	6.29	42	0.4952	226	268	120
MT5662	IR 10F339	5.43	194	0.2176	75	269	121
MT5899	PR40543-B-B-2	5.74	128	0.3125	141	269	122
MT5741	IR11L412	6.06	77	0.4236	192	269	123
MT5564	IR 09N535	5.88	104	0.3644	168	272	124
MT5941	PR40094-35-1	5.05	245	0.1396	28	273	125
MT5745	IR12L144	6.09	71	0.4474	202	273	126
MT5554	IR 08N133	5.14	238	0.1557	36	274	127
MT5569	IR 10A261	5.59	158	0.2741	116	274	128
MT5677	HHZ 2-SUB2-DT1-DT1	5.47	182	0.2435	95	277	129
MT5654	IR 96449H	7.07	3	0.7282	274	277	130
MT5956	PR30658-3B-B-1-1	5.74	127	0.3392	151	278	131
MT5639	IR 12A102	5.48	177	0.2503	102	279	132
MT5943	PR40095-3-1	5.88	102	0.3809	177	279	133
MT5638	IR 11W109	5.54	170	0.2675	110	280	134
MT5644	IR 12N122	5.38	204	0.2217	79	283	135
MT5947	PR40613-AB-58	5.98	89	0.4255	196	285	136
MT5872	PR40094-45-2	4.75	279	0.0750	7	286	137
MT5890	PR39876-4B-12	5.42	197	0.2410	93	290	138
MT5862	PR40146-B-4-1-4-1	5.81	114	0.3790	176	290	139
MT5887	DINORADO-5kr-38-3-2-3	6.22	55	0.5242	235	290	140
MT5873	PR40149-2B-19-3	6.11	69	0.4861	223	292	141
MT5665	IR 10F550	5.27	218	0.2186	76	294	142
MT5732	IR86385-184-1-1-B	4.66	284	0.0906	11	295	143
MT5591	IR 11A279	6.00	86	0.4625	209	295	144
MT5704	HHZ 15-SAL13-Y3	5.16	235	0.1894	61	296	145
MT5716	IR 11C127	5.48	179	0.2742	117	296	146
MT5635	IR 11N400	5.93	91	0.4538	205	296	147
MT5927	PR38429-B-17-5-B-B	6.24	49	0.5944	248	297	148
MT5714	IR 11C114	4.96	261	0.1595	38	299	149
MT5886	PR40524-2-1	7.39	2	1.3844	299	301	150
MT5582	IR 11A175	5.47	183	0.2774	119	302	151
MT5636	IR 11N403	5.60	155	0.3233	147	302	152
MT5952	PR40613-AB-98	5.41	198	0.2539	105	303	153
MT5660	IR 98049H	6.14	63	0.5412	240	303	154
MT5688	HHZ 6-DT1-LI1-LI1	6.51	18	0.7763	285	303	155
MT5706	HHZ 18-Y3-Y1-Y1	4.55	290	0.1109	15	305	156
MT5611	IR 11A506	4.73	280	0.1385	27	307	157
MT5868	PR39248-2B-B-B-67-1	6.03	80	0.4991	228	308	158
MT5898	PR40214-B-5-1	5.79	118	0.4220	191	309	159
MT5640	IR 12A110	5.35	206	0.2512	104	310	160
MT5962	PR34363-1-Pokkali-AC-45-M5R-16 (DrS 94)	6.08	72	0.5318	239	311	161
MT5937	PR40091-46-1-1	5.20	231	0.2262	83	314	162

2013DS METO AMMI Stability Values (ASV) and Yield Stability Index (YSI) of Module1 Across Sites


METNO	Fixed Name	Gymeans	GY Rank	ASV	ASV Rank	YSI	YSI Rank
MT5964	PR40476-3B-1-1	5.59	156	0.3521	159	315	163
MT5921	PR40858-NSIC Rc9-M4R-354	5.63	144	0.3725	172	316	164
MT5894	PR37770 (Fe)-B-1-2-2-2-2-1-2-1-1	4.96	260	0.1858	58	318	165
MT5552	IR 08N104	5.25	222	0.2475	98	320	166
MT5950	PR40613-AB-69	5.87	106	0.4714	214	320	167
MT5740	IR11L384	6.22	53	0.6720	268	321	168
MT5650	IR 96418H	6.40	27	0.9056	294	321	169
MT5711	HHZ 23-DT16-DT1-DT1	6.14	64	0.6432	258	322	170
MT5737	IR09L226	6.11	67	0.6363	257	324	171
MT5584	IR 11A201	6.22	51	0.7207	273	324	172
MT5697	HHZ 14-DT12-LI1-LI1	6.36	35	0.7897	289	324	173
MT5661	IR 10F302	5.50	175	0.3448	152	327	174
MT5603	IR 11A427	5.07	243	0.2344	87	330	175
MT5719	IR 11C134	5.84	111	0.4825	221	332	176
MT5744	IR12L136	6.01	85	0.5922	247	332	177
MT5553	IR 08N121	5.47	181	0.3465	154	335	178
MT5602	IR 11A417	5.63	148	0.4098	188	336	179
MT5667	IR 10F602	6.25	46	0.7977	291	337	180
MT5734	IR87839-4-1-1-B	4.97	257	0.2246	81	338	181
MT5637	IR 11N405	5.50	176	0.3542	162	338	182
MT5916	PR40858-NSIC Rc9-M4R-356	5.86	108	0.5221	232	340	183
MT5907	12WS-MSL-40	4.55	289	0.1833	55	344	184
MT5659	IR 96426H	5.63	147	0.4349	197	344	185
MT5889	PR40526-2-2	5.76	124	0.4824	220	344	186
MT5589	IR 11A247	5.26	221	0.2874	126	347	187
MT5544	IR 02A149	5.43	195	0.3463	153	348	188
MT5643	IR 12N121	5.44	193	0.3470	155	348	189
MT5965	PR40163-B-1-1	5.23	225	0.2866	124	349	190
MT5560	IR 09N173	5.46	188	0.3540	161	349	191
MT5891	PR39870-3B-5	5.67	136	0.4698	213	349	192
MT5897	PR40228-2B-B-36	4.90	265	0.2340	86	351	193
MT5566	IR 10A127	6.07	75	0.7357	276	351	194
MT5568	IR 10A196	5.32	213	0.3035	139	352	195
MT5700	HHZ 14-SAL19-Y1	5.88	103	0.6065	251	354	196
MT5557	IR 09A102	5.22	227	0.2879	128	355	197
MT5690	HHZ 6-SAL3-Y1-SUB2	5.67	137	0.4821	219	356	198
MT5583	IR 11A198	5.61	152	0.4550	206	358	199
MT5657	IR 94415H	5.72	131	0.4954	227	358	200
MT5681	HHZ 3-SAL6-Y1-Y1	5.90	98	0.6489	260	358	201
MT5555	IR 08N150	5.33	211	0.3323	149	360	202
MT5686	HHZ 4-SAL5-LI1-LI1	5.81	115	0.5767	245	360	203
MT5866	PR40200-B-B-B-70-2	4.84	272	0.2356	89	361	204
MT5646	IR 12N130	5.30	215	0.3306	148	363	205
MT5627	IR 11N187	6.02	82	0.7692	283	365	206
MT5693	HHZ 10-DT5-LI1-LI1	5.76	125	0.5588	242	367	207
MT5728	MS 11(IRRI 142)	3.44	299	0.2070	69	368	208
MT5703	HHZ 15-SAL13-Y1	5.80	116	0.6223	254	370	209
MT5935	PR43303-5-59	5.57	163	0.4674	211	374	210
MT5580	IR 11A151	5.59	157	0.4788	217	374	211
MT5710	HHZ 22-Y3-DT1-Y1	5.76	123	0.6331	256	379	212
MT5901	PR39778-B-2-6-2-1-2	5.00	254	0.2876	127	381	213
MT5746	IR12L152	5.82	113	0.6751	269	382	214
MT5679	HHZ 3-SAL13-Y2-DT1	4.92	263	0.2835	122	385	215
MT5642	IR 12N103	5.53	173	0.4681	212	385	216

2013DS METO AMMI Stability Values (ASV) and Yield Stability Index (YSI) of Module1 Across Sites

METNO	Fixed Name	Gymeans	GY Rank	ASV	ASV Rank	YSI	YSI Rank
MT5904	12WS-PYT-34	5.29	216	0.3678	170	386	217
MT5620	IR 11A585	5.40	199	0.4171	189	388	218
MT5626	IR 11N185	5.80	117	0.6852	271	388	219
MT5942	PR40095-1	5.04	246	0.3173	143	389	220
MT5550	IR 06N183	5.18	233	0.3471	156	389	221
MT5876	PR 38858-4-3-3-1-3-B	4.59	287	0.2504	103	390	222
MT5617	IR 11A581	5.84	112	0.7583	279	391	223
MT5936	PR40104-48-2	4.25	294	0.2477	99	393	224
MT5875	PR 39144-25-1-3-3-1-B	5.28	217	0.3856	180	397	225
MT5545	IR 02A483	4.64	285	0.2724	114	399	226
MT5707	HHZ 21-DT7-Y1-Y1	5.00	253	0.3226	146	399	227
MT5896	PR40538-B-B-3-1	5.46	191	0.4624	208	399	228
MT5598	IR 11A342	5.56	166	0.5239	233	399	229
MT5949	PR40613-AB-15	5.40	200	0.4445	200	400	230
MT5721	IR 11C173	4.95	262	0.3179	144	406	231
MT5951	PR40613-AB-83	5.34	208	0.4461	201	409	232
MT5727	Jinmibyeo	3.72	298	0.2708	113	411	233
MT5908	12WS-AON-SB-1	5.08	242	0.3659	169	411	234
MT5680	HHZ 3-SAL4-Y1-Y1	5.59	159	0.6139	252	411	235
MT5670	IR 10F688	5.01	250	0.3599	163	413	236
MT5623	IR 11N140	5.04	247	0.3640	167	414	237
MT5559	IR 09A229	5.19	232	0.3883	182	414	238
MT5933	PR43302-4-43	4.69	282	0.2945	133	415	239
MT5571	IR 10A328	5.13	240	0.3839	178	418	240
MT5864	PR40200-B-B-B-115-2	4.22	295	0.2873	125	420	241
MT5672	IR 11F195	5.62	151	0.6761	270	421	242
MT5733	IR86385-93-3-1-B	4.36	293	0.2896	129	422	243
MT5676	HHZ 1-DT7-LI2-LI1	4.67	283	0.3051	140	423	244
MT5645	IR 12N124	5.46	192	0.5199	231	423	245
MT5730	IR86385-138-2-1-B	4.91	264	0.3531	160	424	246
MT5755	IR12L250	4.56	288	0.3014	138	426	247
MT5633	IR 11N336	5.56	165	0.6694	265	430	248
MT5888	PR40525-6-1	5.01	252	0.3848	179	431	249
MT5749	IR12L214	5.54	169	0.6544	263	432	250
MT5724	IR 86635-2-3-3-3	3.79	297	0.2998	136	433	251
MT5599	IR 11A372	5.15	236	0.4420	199	435	252
MT5870	PR38794-2B-4-2-1-3	5.48	178	0.6435	259	437	253
MT5694	HHZ 10-DT7-Y1	5.64	142	0.9366	296	438	254
MT5625	IR 11N180	5.25	224	0.4781	216	440	255
MT5567	IR 10A133	5.42	196	0.5764	244	440	256
MT5909	12WS-PYT-SB-10	4.85	268	0.3730	174	442	257
MT5871	PR40092-13-2	4.84	270	0.3729	173	443	258
MT5880	PR40523-1--2	5.26	219	0.4899	224	443	259
MT5736	IR88384-7-AJY1-B	5.01	251	0.4239	193	444	260
MT5572	IR 10M126	5.60	154	0.7935	290	444	261
MT5750	IR12L225	5.63	149	0.9338	295	444	262
MT5669	IR 10F663	5.20	230	0.4766	215	445	263
MT5903	12WS-PYT-19	5.58	162	0.7724	284	446	264
MT5653	IR 90872H	5.30	214	0.5241	234	448	265
MT5673	IR 11F216	5.26	220	0.5088	230	450	266
MT5701	HHZ 14-Y7-Y1-DT2	5.40	201	0.5993	249	450	267
MT5630	IR 11N291	5.53	172	0.7600	280	452	268
MT5587	IR 11A216	4.22	296	0.3503	157	453	269
MT5576	IR 10N264	4.87	266	0.4217	190	456	270

2013DS METO AMMI Stability Values (ASV) and Yield Stability Index (YSI) of Module1 Across Sites

METNO	Fixed Name	Gymeans	GY Rank	ASV	ASV Rank	YSI	YSI Rank
MT5940	PR40094-19-3	4.78	276	0.4045	186	462	271
MT5691	HHZ 6-SAL9-Y1	5.15	237	0.4904	225	462	272
MT5634	IR 11N378	5.39	202	0.6499	261	463	273
MT5958	PR38583-(IR64/AC97DP-77) 12-12-2	4.76	278	0.4079	187	465	274
MT5906	12WS-MSL-37	4.98	255	0.4816	218	473	275
MT5928	PR38466-B-18-B-2-B	5.08	241	0.5533	241	482	276
MT5698	HHZ 14-SAL10-DT1-DT1	5.39	203	0.7611	281	484	277
MT5613	IR 11A522	5.32	212	0.7304	275	487	278
MT5715	IR 11C115	4.96	259	0.5063	229	488	279
MT5683	HHZ 4-DT3-Y1-Y1	5.18	234	0.6319	255	489	280
MT5628	IR 11N217	5.05	244	0.5921	246	490	281
MT5671	IR 10F689	4.84	271	0.4839	222	493	282
MT5718	IR 11C130	5.03	249	0.6202	253	502	283
MT5666	IR 10F558	4.87	267	0.5304	237	504	284
MT5573	IR 10M238	4.85	269	0.5305	238	507	285
MT5879	PR40523-1-1	5.03	248	0.6530	262	510	286
MT5575	IR 10N259	5.14	239	0.7134	272	511	287
MT5585	IR 11A208	5.21	229	0.8368	292	521	288
MT5877	PR 40421-1-1-1-B	4.97	256	0.6707	267	523	289
MT5562	IR 09N481	5.21	228	1.0463	298	526	290
MT5717	IR 11C128	4.82	274	0.6706	266	540	291
MT5622	IR 11N122	4.97	258	0.7888	288	546	292
MT5723	Hanareumbyeo 2 (Milyang 240)	4.80	275	0.7519	278	553	293
MT5586	IR 11A214	4.83	273	0.7626	282	555	294
MT5615	IR 11A526	4.78	277	0.7872	287	564	295
MT5882	PR40527-1-2	4.52	291	0.7360	277	568	296
MT5874	PR 39557-9-2-3-1-B	4.50	292	0.7779	286	578	297
MT5729	IR85862-B-B-AJY1-B	4.70	281	1.0271	297	578	298
MT5549	IR 06A181	4.63	286	0.9024	293	579	299

 *most stable genotype for Module1 across sites*

 *check*

ASV *AMMI Stability Value*

YSI *Yield Stability Index*

Gymeans *Grain Yield means across sites (in tons/ha)*